

10/750, 873

	Type	Hits	Search Text	DBs
1	IS&R	463	(62/296).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT
2	IS&R	0	("landvibrat\$3").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT
3	BRS	105	S1 and vibrat\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT
4	BRS	1	S3 and (pip\$3 near5 (angle or slant))	US-PGPUB; USPAT; EPO; JPO; DERWENT
5	BRS	48	S3 and (pipe or piping)	US-PGPUB; USPAT; EPO; JPO; DERWENT
6	BRS	2179	"62"/\$.ccls. and vibrat\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT
7	BRS	13	S6 and (pip\$3 near5 (angle or slant))	US-PGPUB; USPAT; EPO; JPO; DERWENT
8	IS&R	319	(62/295).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT
9	BRS	2	S8 and (pip\$3 near5 (angle or slant))	US-PGPUB; USPAT; EPO; JPO; DERWENT
10	IS&R	957	(62/298).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT
11	BRS	0	S10 and (pip\$3 near5 (angle or slant))	US-PGPUB; USPAT; EPO; JPO; DERWENT
12	IS&R	933	(417/363).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT
13	BRS	5	S12 and (pip\$3 near5 (angle or slant))	US-PGPUB; USPAT; EPO; JPO; DERWENT
14	BRS	46	S6 and "248"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT
15	IS&R	1162	(248/638).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT
16	IS&R	43	(248/645).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT

	Type	Hits	Search Text	DBs
17	IS&R	1411	(248/49).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT
18	BRS	1341	"248"/\$.ccls. and (refrigerat\$3 or (air adj condition\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT
19	BRS	289	S18 and vibrat\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT
20	BRS	110	S19 and compressor	US-PGPUB; USPAT; EPO; JPO; DERWENT
21	BRS	20	S20 and (pipe or piping)	US-PGPUB; USPAT; EPO; JPO; DERWENT
22	BRS	6231	(pipe or piping) near4 loop\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT
23	BRS	349	S22 and "62"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT
24	BRS	10	S23 and (pip\$3 near5 (angle or slant))	US-PGPUB; USPAT; EPO; JPO; DERWENT
25	BRS	21438	(pipe or piping) near4 (loop\$3 or coil\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT
26	BRS	1169	S25 and "62"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT
27	BRS	39	S26 and ((pip\$3 or coil\$3) near5 (angle or slant))	US-PGPUB; USPAT; EPO; JPO; DERWENT
28	BRS	29	S27 not S24	US-PGPUB; USPAT; EPO; JPO; DERWENT
29	BRS	2	S28 and vibrat\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT
30	BRS	2	S28 and vibrat\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT
31	BRS	309	S18 and vibrat\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT
32	BRS	20	S31 not S19	US-PGPUB; USPAT; EPO; JPO; DERWENT

	Type	Hits	Search Text	DBs
33	BRS	390	vertical with (winding or wound) with (pipe or piping)	US-PGPUB; USPAT; EPO; JPO; DERWENT
34	BRS	7	S33 and "62"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT
35	BRS	73477	vertical with (winding or wound or pipe or piping)	US-PGPUB; USPAT; EPO; JPO; DERWENT
36	BRS	22412	vertical\$2 with (winding or wound)	US-PGPUB; USPAT; EPO; JPO; DERWENT
37	BRS	110	S36 and "62"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT
38	BRS	3	S37 and ((pip\$3 or coil\$3) near5 (angle or slant))	US-PGPUB; USPAT; EPO; JPO; DERWENT
39	BRS	805	S35 and "62"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT
40	BRS	61	S39 and ((pip\$3 or coil\$3) near5 (angle or slant))	US-PGPUB; USPAT; EPO; JPO; DERWENT
41	BRS	292	vertical adj piping	US-PGPUB; USPAT; EPO; JPO; DERWENT
42	BRS	3	S41 and "62"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT
43	BRS	8296	angled near3 support	US-PGPUB; USPAT; EPO; JPO; DERWENT
44	BRS	26	S43 and "62"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT
45	BRS	598	S43 and vibrat\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT
46	BRS	15	S45 and piping	US-PGPUB; USPAT; EPO; JPO; DERWENT
47	BRS	1967	angled near3 (pipe or piping)	US-PGPUB; USPAT; EPO; JPO; DERWENT
48	BRS	134	S47 and vibrat\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT

	Type	Hits	Search Text	DBs
49	BRS	3	S48 and "62"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT
50	BRS	49116	vertical\$2 near3 (coil or pipe or piping)	US-PGPUB; USPAT; EPO; JPO; DERWENT
51	BRS	892	S50 and "62"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT
52	BRS	2598	S50 with (wound or wind\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT
53	BRS	18	S52 and "62"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT
54	BRS	31379	horizontal\$2 near3 (coil or pipe or piping)	US-PGPUB; USPAT; EPO; JPO; DERWENT
55	BRS	2123	S54 with (wound or wind\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT
56	BRS	9	S55 and "62"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT
57	BRS	1161	(S51 or S54) and "62"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT
58	BRS	892	S51 and "62"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT
59	BRS	6185	compressor with vibration	US-PGPUB; USPAT; EPO; JPO; DERWENT
60	BRS	545	S59 and "62"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT
61	BRS	3792	compressor near4 vibration	US-PGPUB; USPAT; EPO; JPO; DERWENT
62	BRS	353	S61 and "62"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT
63	BRS	139	S59.ab. and "62"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT
64	BRS	82	S61.ab. and "62"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT